#### SOLID EXIT 2 EMERGENCY EXIT LIGHT TWT3171W























## 24-230 V centrally supplied emergency exit light

Solid Exit 2 emergency exit light is equipped with a light plate. The luminaire is designed specifically to withstand harsh conditions. It is a 2-sided IP65 enclosure classed luminaire and completely dust and water proof.

Solid Exit 2 is suitable for example for industrial premises and parking halls. Escap and centrally supplied luminaires are also suitable for outdoor use.

Special attention has been paid to the design for easy installation.



Product Code	TWT3171W
Mounting (standard)	wall, surface
Customs Code	94056080
GTIN Code	6438045022253
ETIM Product Class	EC001957
Length	371 mm
Width	181 mm
Height	232 mm
Weight	1,8 kg
Max Input Power VA	8 VA (24 V), 10,5 VA (230 V)
Max Input Power W	5 W (24 V), 5,5 W (230 V)
Nominal Supply Voltage	24-230 V, 50/60 Hz AC, DC
Protection Class	III(24V),II(230V)
IP Class	IP65
Temperature Range Min - Max	-5+30 °C
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	30 m
Light Source	LED
Body Material	plastic
Colour	RAL9003
Electrical Installation	2 x 2,5 mm² (24 V), 3 x 2,5 mm² (230 V)

### ONE OR MORE OF THESE IS ALSO REQUIRED:

# PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBV31302E	42 42	30	Solid Exit 2 Emergency Exit Lights
PBV31302E3	<b>5 V</b>	30	Solid Exit 2 Emergency Exit Lights





Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBV31301E		30	Solid Exit 2 Emergency Exit Lights
PBV31301E1	<b>₹</b> →	30	Solid Exit 2 Emergency Exit Lights
PBV31301E2	← 🎘	30	Solid Exit 2 Emergency Exit Lights
PBV31305E	5 A 5 A	30	Solid Exit 2 Emergency Exit Lights
PBV31305E3	<b>5</b> •	30	Solid Exit 2 Emergency Exit Lights


#### **OPTIONAL ACCESSORIES:**


# OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



Product Code	Product Name	Compatible Product Groups
TWT3006	Solid Suspension Bracket TWT3006	Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights
TWT3001	Solid Recess Mounting Frame TWT3001	Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights
TWT3002	Solid Wall bracket TWT3002	Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights
TWT3003	Solid Flag bracket TWT3003	Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights
TWT3004	Solid Ceiling bracket TWT3004	Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights







Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

