SILVER LED EMERGENCY EXIT LIGHT Y6692WA145

































Self-contained ESCAP Emergency Light with 1 h Super Capacitor and Wireless Central Monitoring, with 2-sided pictogram, arrow down, 30 m viewing distance (Invidually packed TWS6692WA)

Teknoware's Silver LED exit lights have a metal body and are suitable for aesthetically demanding environments.

The 2-sided light plate of the Silver luminaires is silk screen printed and its body is made from bent sheet steel.



| Product Code | Y6692WA145 | |
|--|---------------------------------|--|
| Feature | Aalto Control, Escap, Lumi Test | |
| Mounting (standard) | flag | |
| Customs Code | 94056080 | |
| GTIN Code | 6438045020174 | |
| ETIM Product Class | EC001957 | |
| Length | 295 mm | |
| Width | 420 mm | |
| Height | 115 mm | |
| Weight | 2,5 kg | |
| Backup | 1h | |
| Max Input Power VA | 7,6 VA | |
| Nominal Supply Voltage | 220-240 V, 50/60 Hz AC | |
| | | |
| Protection Class | T. | |
| Protection Class IP Class | I IP20 | |
| | | |
| IP Class | IP20 | |
| IP Class Temperature Range Min - Max | IP20 -25+35 °C | |
| IP Class Temperature Range Min - Max Glow Wire Test of Plastic Materials | IP20 -25+35 °C 650 °C | |
| IP Class Temperature Range Min - Max Glow Wire Test of Plastic Materials Viewing Distance | IP20 -25+35 °C 650 °C 30 m | |
| IP Class Temperature Range Min - Max Glow Wire Test of Plastic Materials Viewing Distance Light Source | IP20 -25+35 °C 650 °C 30 m LED | |

OPTIONAL ACCESSORIES:

COVER LABELS FOR EMERGENCY EXIT LIGHTS

| Product Code | Pictogram | Compatible Product Groups |
|--------------|-----------|------------------------------|
| XWT7000 | | Silver Emergency Exit Lights |

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 31, 2024 | Source:

www.teknoware.com/en/emergency-lighting/silver-led-emergency-exit-light-y6692wa145







