

PICTOGRAM PB9604E



Pictogram, arrow down, ROBUST Exit (TWT96) luminaires. 24 m viewing distance.

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 05, 2024 | Source: www.teknoware.fi/en/emergency-lighting/pictogram-pb9604e

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	PB9604E
Customs Code	94056080
GTIN Code	6438045023069
ETIM Product Class	EC000479
Length	240 mm
Width	1 mm
Height	112 mm
Weight	0,01 kg
Viewing Distance	24 m

ONE OR MORE OF THESE IS ALSO REQUIRED:

NON-ADDRESSABLE 230 V CENTRALLY
SUPPLIED EMERGENCY EXIT LIGHTS

220-240 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT9651W	220-240 V, 50/60 Hz AC, DC		1-sided, 24 m

COMPATIBLE PRODUCTS:

NON-ADDRESSABLE 230 V CENTRALLY
SUPPLIED EMERGENCY EXIT LIGHTS

220-240 V,
50/60 Hz
AC, DC

Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT9651W	220-240 V, 50/60 Hz AC, DC		1-sided, 24 m

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 05, 2024 | Source: www.teknoware.fi/en/emergency-lighting/pictogram-pb9604e

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

