

# PICTOGRAM PBV10401E




2-sided, light plate pictogram, arrow left/right, for ESC 10 (TWT802) luminaires. 40 m viewing distance.

|                    |               |
|--------------------|---------------|
| Product Code       | PBV10401E     |
| Customs Code       | 94056080      |
| GTIN Code          | 6438045010748 |
| ETIM Product Class | EC000479      |
| Length             | 320 mm        |
| Width              | 10 mm         |
| Height             | 220 mm        |
| Weight             | 0,85 kg       |
| Viewing Distance   | 40 m          |

ONE OR MORE OF THESE IS ALSO REQUIRED:

BASIC SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TW80253W     | 220-240 V, 50/60 Hz AC |           | 2-sided, 40 m  | 3          |

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



| Product Code | Nominal Supply Voltage     | Pictogram | Pictogram Info |
|--------------|----------------------------|-----------|----------------|
| TW80251WK    | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 40 m  |

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



| Product Code | Nominal Supply Voltage     | Pictogram | Pictogram Info |
|--------------|----------------------------|-----------|----------------|
| TW80251W     | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 40 m  |

# NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: May 05, 2024 | Source:  
[www.teknoware.fi/en/emergency-lighting/pictogram-pbv10401e](http://www.teknoware.fi/en/emergency-lighting/pictogram-pbv10401e)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info |
|--------------|------------------------|-----------|----------------|
| TW80241W     | 24 V, 50/60 Hz AC, DC  |           | 2-sided, 40 m  |

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: May 05, 2024 | Source:  
[www.teknoware.fi/en/emergency-lighting/pictogram-pbv10401e](http://www.teknoware.fi/en/emergency-lighting/pictogram-pbv10401e)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

