

# PICTOGRAM PBVF1602E



2-sided, light plate pictogram, arrow down, for Plus emergency exit lights. 60 m viewing distance.

|                    |                |
|--------------------|----------------|
| Product Code       | PBVF1602E      |
| Customs Code       | 94056180       |
| GTIN Code          | 06438045029283 |
| ETIM Product Class | EC000479       |
| Length             | 620 mm         |
| Width              | 2 mm           |
| Height             | 353 mm         |
| Weight             | 1.1 kg         |
| Viewing Distance   | 60 m           |

ONE OR MORE OF THESE IS ALSO REQUIRED:

SELF-CONTAINED ESCAP EMERGENCY EXIT  
LIGHTS WITH SUPER CAPACITOR AND  
SELF-TESTING



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWSF192WM    | 220-240 V, 50/60 Hz AC |           | 2-sided, 60 m  | 1          |

SELF-CONTAINED ESCAP EMERGENCY EXIT  
LIGHTS WITH SUPER CAPACITOR AND  
WIRELESS CENTRAL MONITORING



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWSF192WA    | 220-240 V, 50/60 Hz AC |           | 2-sided, 60 m  | 1          |

SELF-CONTAINED EMERGENCY EXIT  
LIGHTS WITH BATTERY AND SELF-TESTING



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWTF153WM    | 220-240 V, 50/60 Hz AC |           | 2-sided, 60 m  | 3          |

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: May 02, 2024 | Source: [www.teknoware.fi/en/pictogram-pbvf1602e](http://www.teknoware.fi/en/pictogram-pbvf1602e)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



# SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING



| Product Code | Nominal Supply Voltage | Pictogram | Pictogram Info | Backup (h) |
|--------------|------------------------|-----------|----------------|------------|
| TWTF153WA    | 220-240 V, 50/60 Hz AC |           | 2-sided, 60 m  | 3          |

## ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



| Product Code | Nominal Supply Voltage     | Pictogram | Pictogram Info |
|--------------|----------------------------|-----------|----------------|
| TWTF151WK    | 220-240 V, 50/60 Hz AC, DC |           | 2-sided, 60 m  |

## NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



| Product Code | Nominal Supply Voltage    | Pictogram | Pictogram Info |
|--------------|---------------------------|-----------|----------------|
| TWTF171W     | 24-230 V, 50/60 Hz AC, DC |           | 2-sided, 60 m  |

## ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS

| Product Code | Nominal Supply Voltage | Feature       |
|--------------|------------------------|---------------|
| TWTF141WK    | 24 V, 50/60 Hz AC, DC  | Tapsa Control |

