


SWITCH CONTROLLER TST2800



220-240 V
50/60 Hz
AC, DC



Switch Controller (Installation: Inside a distribution panel).

in normal mode the luminaires take their supply from the light switch
controls emergency lights by normal light switch
an analog dimming control output 1-10 V

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 19, 2024 | Source:

www.teknoware.fi/en/emergency-lighting/switch-controller-tst2800

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

 **TEKNOWARE®**

Product Code	TST2800
Mounting (standard)	inside a distribution panel
Customs Code	94056080
GTIN Code	6438045006307
ETIM Product Class	EC000205
Length	117 mm
Width	60 mm
Height	38 mm
Weight	0,2 kg
Nominal Supply Voltage	220-240 V, 50/60 Hz AC, DC
Power Consumption	250 VA
Body Material	sheet metal

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.


Date: May 19, 2024 | Source:

www.teknoware.fi/en/emergency-lighting/switch-controller-tst2800

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 19, 2024 | Source:

www.teknoware.fi/en/emergency-lighting/switch-controller-tst2800

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

