


WEBACM INTERFACE TST6726



WebACM Interface for TKT67xxC Central Battery Units

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 18, 2024 | Source: www.teknoware.fi/en/webacm-interface-tst6726

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	TST6726
GTIN Code	06438045028231
ETIM Product Class	EC000205

ONE OR MORE OF THESE IS ALSO REQUIRED:

WEBCM CENTRAL MONITORING SYSTEM /
WEBACM CENTRAL MONITORING
SOFTWARE



Product Code	Product Name	Compatible Product Groups
TST5161	WebACM PC Software TST5161	Addressable 230 V Central Battery Systems, TKT65C Central Battery Systems, TKT66C Central Battery Systems, TKT67C Central Battery Systems, TKT68C Central Battery Systems

ADDRESSABLE 230 V CENTRAL BATTERY
SYSTEMS



Product Code	Nominal Supply Voltage	Number of Output Circuits	Max Load of Circuits (VA)
TKT6716C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	16 x 350 VA / W	
TKT6724C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	24 x 350 VA / W	
TKT6732C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	32 x 350 VA / W	
TKT6740C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	40 x 350 VA / W	
TKT6748C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	48 x 350 VA / W	
TKT6756C	3~ N/PE 220-240/380-415 VAC, 50/60 Hz	56 x 350 VA / W	

