



LOCAL CONTROLLER TST6805



Local Controller (installation inside a distribution panel)

Intelligent Controller (IC) compatible

1-3-phase monitoring/230 V control input

Controlling the non-maintained lights through the supply cabling

Switch control input

Relay contact output from 1-3-phase monitoring (NC/NO)

0-15 min adjustable delay for return to mains operations with 1 minute spacing with DIP Switch

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 04, 2024 | Source:
www.teknoware.fi/en/emergency-lighting/local-controller-tst6805

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com




Product Code	TST6805
Mounting (standard)	inside a distribution panel, DIN rail
Customs Code	94056080
GTIN Code	6438045010632
ETIM Product Class	EC000205
Length	111 mm
Width	45 mm
Height	89 mm
Weight	0,3 kg
Nominal Supply Voltage	220-240 V, 50/60 Hz AC, DC
Power Consumption	1400 VA
Body Material	sheet metal

We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: May 04, 2024 | Source:
www.teknoware.fi/en/emergency-lighting/local-controller-tst6805

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 04, 2024 | Source:
www.teknoware.fi/en/emergency-lighting/local-controller-tst6805

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

