

IC INTERFACE TST6852



IC Interface + IC PC Software, for 16 circuits à 350 W, TKT6816C Central Battery Units

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 04, 2024 | Source: www.teknoware.fi/en/emergency-lighting/ic-interface-tst6852

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	TST6852
Customs Code	85044090
GTIN Code	6438045010113
ETIM Product Class	EC000205
Length	100 mm
Width	100 mm
Height	100 mm
Weight	0,1 kg

ONE OR MORE OF THESE IS ALSO REQUIRED:

ADDRESSABLE 230 V CENTRAL BATTERY SYSTEMS



Product Code	Nominal Supply Voltage	Number of Output Circuits	Max Load of Circuits (VA)
TKT6816C	1~ N/PE 220-240 VAC, 50/60 Hz	16 x 350 VA / W	

INTELLIGENT CONTROLLERS FOR CENTRAL BATTERY SYSTEMS



Product Code	Product Name	Compatible Products
TST8801	IC Input Module TST8801	

COMPATIBLE PRODUCTS:

ADDRESSABLE 230 V CENTRAL BATTERY SYSTEMS



Product Code	Nominal Supply Voltage	Number of Output Circuits	Max Load of Circuits (VA)
TKT6816C	1~ N/PE 220-240 VAC, 50/60 Hz	16 x 350 VA / W	

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 04, 2024 | Source: www.teknoware.fi/en/emergency-lighting/ic-interface-tst6852

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 04, 2024 | Source: www.teknoware.fi/en/emergency-lighting/ic-interface-tst6852

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

