


FLAG BRACKET TWT9002



Flag bracket for ESC 90 and ESC 80 emergency exit lights.

Product Code	TWT9002
Customs Code	94056080
GTIN Code	6438045011554
ETIM Product Class	EC002557
Length	272 mm
Width	41 mm
Height	35 mm
Weight	0.32 kg

COMPATIBLE PRODUCTS:

SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND SELF-TESTING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWS9092WM	220-240 V, 50/60 Hz AC		2-sided, 25 m	1
TWS8092WM	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1

SELF-CONTAINED ESCAP EMERGENCY EXIT LIGHTS WITH SUPER CAPACITOR AND WIRELESS CENTRAL MONITORING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWS9092WA	220-240 V, 50/60 Hz AC		2-sided, 25 m	1
TWS8092WA	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	1

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND SELF-TESTING



We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: May 11, 2024 | Source: www.teknoware.fi/en/flag-bracket-twt9002

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT9053WM	220-240 V, 50/60 Hz AC		2-sided, 25 m	3
TWT8053WM	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3

SELF-CONTAINED EMERGENCY EXIT LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info	Backup (h)
TWT9053WA	220-240 V, 50/60 Hz AC		2-sided, 25 m	3
TWT8053WA	220-240 V, 50/60 Hz AC		2-sided, 20/26/30 m	3

ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT9051WK	220-240 V, 50/60 Hz AC, DC		2-sided, 25 m
TWT8051WK	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m

NON-ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS



Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT9051W	220-240 V, 50/60 Hz AC, DC		2-sided, 25 m
TWT8051W	220-240 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m

NON-ADDRESSABLE 24 V CENTRALLY SUPPLIED EMERGENCY EXIT LIGHTS






Product Code	Nominal Supply Voltage	Pictogram	Pictogram Info
TWT9041W	24 V, 50/60 Hz AC, DC		2-sided, 25 m
TWT8041W	24 V, 50/60 Hz AC, DC		2-sided, 20/26/30 m

We reserve the rights to make modifications without notice.
 Copyright © 2024 Teknoware. All rights reserved.
 Date: May 11, 2024 | Source: www.teknoware.fi/en/flag-bracket-twt9002

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com







We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 11, 2024 | Source: www.teknoware.fi/en/flag-bracket-twtf9002

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: May 11, 2024 | Source: www.teknoware.fi/en/flag-bracket-twt9002

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

