


SILVER LED EMERGENCY EXIT LIGHT Y6792WM148



Self-contained ESCAP Emergency Light with 1 h Super Capacitor and Lumi Test Self-testing, with 1-sided pictogram, arrow right, 30 m viewing distance (Individually packed TWS6792WM)

Teknoware's Silver LED exit lights have a metal body and are suitable for aesthetically demanding environments.

The 1-sided light plate pictogram of the wall mounted Silver luminaire is silk screen printed and its frame is made from bent sheet steel.

Product Code	Y6792WM148
Feature	Escap, Lumi Test
Mounting (standard)	surface, semi-recess
Customs Code	94056080
GTIN Code	6438045020082
ETIM Product Class	EC001957
Length	295 mm
Width	420 mm
Height	115 mm
Weight	2,6 kg
Backup	1 h
Max Input Power VA	7,6 VA
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP20
Temperature Range Min - Max	-25...+35 °C
Glow Wire Test of Plastic Materials	650 °C
Viewing Distance	30 m
Light Source	LED
Body Material	metal
Colour	RAL9006
Electrical Installation	3 x 2,5 mm ²

OPTIONAL ACCESSORIES:

COVER LABELS FOR EMERGENCY EXIT LIGHTS



Product Code	Pictogram	Compatible Product Groups
XWT7000		Silver Emergency Exit Lights

We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: April 29, 2024 | Source:
www.teknoware.fi/en/emergency-lighting/silver-led-emergency-exit-light-y6792wm148

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



We reserve the rights to make modifications without notice.
Copyright © 2024 Teknoware. All rights reserved.
Date: April 29, 2024 | Source:
www.teknoware.fi/en/emergency-lighting/silver-led-emergency-exit-light-y6792wm148

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com



